

#		KVH Lagerware				17.02.2011		
Dimension KVH		Paketdimension		5000 mm				
Breite/mm	Höhe/mm	B/mm	H/mm	St/lage	Lagen/P	St/P	m³/P	lfm/P
40	60	1200	880	20	22	440	5,28	2200
40	80	1120	1000	14	25	350	5,60	1750
40	100	1100	960	11	24	264	5,28	1320
40	120	1200	880	10	22	220	5,28	1100
40	140	1120	920	8	23	184	5,15	920
40	160	1120	920	7	23	161	5,15	805
40	180	1080	960	6	24	144	5,18	720
40	200	1200	960	6	24	144	5,76	720
40	220	1100	960	5	24	120	5,28	600
40	240	1200	960	5	24	120	5,76	600
60	60	1140	960	19	16	304	5,47	1520
60	80	1120	960	14	16	224	5,38	1120
60	100	1100	960	11	16	176	5,28	880
60	120	1200	900	10	15	150	5,40	750
60	140	1120	900	8	15	120	5,04	600
60	160	1120	900	7	15	105	5,04	525
60	180	1080	960	6	16	96	5,18	480
60	200	1200	900	6	15	90	5,40	450
60	220	1100	960	5	16	80	5,28	400
60	240	1200	960	5	16	80	5,76	400
60	260	1040	960	4	16	64	4,99	320
80	80	1120	960	14	12	168	5,38	840
80	100	1100	960	11	12	132	5,28	660
80	120	1200	880	10	11	110	5,28	550
80	140	1120	960	8	12	96	5,38	480
80	160	1120	960	7	12	84	5,38	420
80	180	1080	960	6	12	72	5,18	360
80	200	1200	880	6	11	66	5,28	330
80	220	1100	960	5	12	60	5,28	300
80	240	1200	960	5	12	60	5,76	300
80	260	1040	960	4	12	48	4,99	240
100	100	1100	1000	11	10	110	5,50	550
100	120	1200	900	10	9	90	5,40	450
100	140	1120	900	8	9	72	5,04	360
100	160	1120	900	7	9	63	5,04	315
100	180	1080	1000	6	10	60	5,40	300
100	200	1200	900	6	9	54	5,40	270
100	220	1100	1000	5	10	50	5,50	250
100	240	1200	900	5	9	45	5,40	225
100	260	1040	1000	4	10	40	5,20	200
120	120	1080	960	9	8	72	5,18	360
120	140	1120	960	8	8	64	5,38	320
120	160	1120	960	7	8	56	5,38	280
120	180	1080	960	6	8	48	5,18	240
120	200	1200	960	6	8	48	5,76	240
120	220	1100	960	5	8	40	5,28	200
120	240	1200	960	5	8	40	5,76	200
120	260	1040	960	4	8	32	4,99	160
140	140	1120	980	8	7	56	5,49	280
140	160	1120	980	7	7	49	5,49	245
140	180	1080	980	6	7	42	5,29	210
140	200	1000	980	5	7	35	4,90	175
140	220	1100	980	5	7	35	5,39	175
140	240	1200	980	5	7	35	5,88	175
140	260	1040	980	4	7	28	5,10	140

#		KVH Lagerware				17.02.2011		
Dimension KVH		Paketdimension		8000m				
Breite/mm	Höhe/mm	B/mm	H/mm	St/lage	Lagen/P	St/P	m³/P	lfm/P
40	100	1000	720	10	18	180	5,76	1440
40	120	1080	680	9	17	153	5,88	1224
40	140	1120	640	8	16	128	5,73	1024
40	160	1120	640	7	16	112	5,73	896
40	180	1080	680	6	17	102	5,88	816
40	200	1000	680	5	17	85	5,44	680
40	220	1100	640	5	16	80	5,63	640
40	240	960	720	4	18	72	5,53	576
60	100	1100	660	11	11	121	5,81	968
60	120	1080	660	9	11	99	5,70	792
60	140	1120	660	8	11	88	5,91	704
60	160	1120	660	7	11	77	5,91	616
60	180	1080	660	6	11	66	5,70	528
60	200	1000	720	5	12	60	5,76	480
60	220	1100	660	5	11	55	5,81	440
60	240	960	720	4	12	48	5,53	384
60	260	1040	660	4	11	44	5,49	352
80	80	1040	720	13	9	117	5,99	936
80	100	1100	640	11	8	88	5,63	704
80	120	1080	640	9	8	72	5,53	576
80	140	1120	640	8	8	64	5,73	512
80	160	1120	640	7	8	56	5,73	448
80	180	1080	640	6	8	48	5,53	384
80	200	1000	720	5	9	45	5,76	360
80	220	1100	640	5	8	40	5,63	320
80	240	960	720	4	9	36	5,53	288
80	260	1040	720	4	9	36	5,99	288
100	100	1100	600	11	6	66	5,28	528
100	120	1080	600	9	6	54	5,18	432
100	140	1120	600	8	6	48	5,38	384
100	160	1120	600	7	6	42	5,38	336
100	180	1080	600	6	6	36	5,18	288
100	200	1000	700	5	7	35	5,60	280
100	220	1100	600	5	6	30	5,28	240
100	240	960	700	4	7	28	5,38	224
100	260	1040	700	4	7	28	5,82	224
120	120	1080	600	9	5	45	5,18	360
120	140	1120	600	8	5	40	5,38	320
120	160	1120	600	7	5	35	5,38	280
120	180	1080	600	6	5	30	5,18	240
120	200	1000	720	5	6	30	5,76	240
120	220	1100	600	5	5	25	5,28	200
120	240	960	720	4	6	24	5,53	192
120	260	1040	720	4	6	24	5,99	192
140	140	1120	560	8	4	32	5,02	256
140	160	1120	560	7	4	28	5,02	224
140	180	1080	700	6	5	30	6,05	240
140	200	1000	700	5	5	25	5,60	200
140	220	1100	700	5	5	25	6,16	200
140	240	960	700	4	5	20	5,38	160
140	260	1040	700	4	5	20	5,82	160

#		KVH Lagerware				17.02.2011		
Dimension KVH		Paketdimension		13000m				
Breite/mm	Höhe/mm	B/mm	H/mm	St/lage	Lagen/P	St/P	m³/P	lfm/P
40	100	1100	400	11	10	110	5,72	1430
40	120	1080	400	9	10	90	5,62	1170
40	140	1120	400	8	10	80	5,82	1040
40	160	1120	400	7	10	70	5,82	910
40	180	1080	400	6	10	60	5,62	780
40	200	1000	440	5	11	55	5,72	715
40	220	1100	400	5	10	50	5,72	650
40	240	960	440	4	11	44	5,49	572
60	100	1000	420	10	7	70	5,46	910
60	120	1080	420	9	7	63	5,90	819
60	140	1120	360	8	6	48	5,24	624
60	160	1120	360	7	6	42	5,24	546
60	180	1080	420	6	7	42	5,90	546
60	200	1000	420	5	7	35	5,46	455
60	220	1100	420	5	7	35	6,01	455
60	240	960	480	4	8	32	5,99	416
60	260	1040	420	4	7	28	5,68	364
80	80	1040	400	13	5	65	5,41	845
80	100	1100	400	11	5	55	5,72	715
80	120	1080	400	9	5	45	5,62	585
80	140	1120	400	8	5	40	5,82	520
80	160	1120	400	7	5	35	5,82	455
80	180	1080	400	6	5	30	5,62	390
80	200	1000	400	5	5	25	5,20	325
80	220	1100	400	5	5	25	5,72	325
80	240	960	480	4	6	24	5,99	312
80	260	1040	400	4	5	20	5,41	260
100	100	1100	400	11	4	44	5,72	572
100	120	1080	400	9	4	36	5,62	468
100	140	1120	400	8	4	32	5,82	416
100	160	1120	400	7	4	28	5,82	364
100	180	1080	400	6	4	24	5,62	312
100	200	1000	400	5	4	20	5,20	260
100	220	1100	400	5	4	20	5,72	260
100	240	960	400	4	4	16	4,99	208
100	260	1040	400	4	4	16	5,41	208
120	120	1080	360	9	3	27	5,05	351
120	140	1120	360	8	3	24	5,24	312
120	160	1120	360	7	3	21	5,24	273
120	180	1080	360	6	3	18	5,05	234
120	200	1000	360	5	3	15	4,68	195
120	220	1100	360	5	3	15	5,15	195
120	240	960	480	4	4	16	5,99	208
120	260	1040	360	4	3	12	4,87	156
140	140	1120	420	8	3	24	6,12	312
140	160	1120	420	7	3	21	6,12	273
140	180	1080	420	6	3	18	5,90	234
140	200	1000	420	5	3	15	5,46	195
140	220	1100	420	5	3	15	6,01	195
140	240	960	420	4	3	12	5,24	156
140	260	1040	420	4	3	12	5,68	156